

Bearing NO.	d	D	H	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
52202	10	32	22	16.5	27	0.084
52204	15	40	26	22.5	40.5	0.15
52205	20	47	28	27.6	55	0.22
52305	20	52	34	34.5	60	0.33
52406	20	70	52	72.8	137	1
52206	25	52	29	25.5	51	0.25
52306	25	60	38	37.7	71	0.45
52407	25	80	59	87.1	170	1.37
52207	30	62	34	35.1	73.5	0.41
52208	30	68	36	46.8	106	0.55
52307	30	68	44	49.4	96.5	0.68
52308	30	78	49	61.8	122	1.05
52408	30	90	65	112	224	2.05
52209	35	73	37	39	86.5	0.6
52309	35	85	52	76.1	153	1.24
52409	35	100	72	130	265	2.7
52210	40	78	39	49.4	116	0.67
52310	40	95	58	88.4	190	1.75
52211	45	90	45	61.8	146	1.1
52311	45	105	64	104	224	2.4
52411	45	120	87	178	390	4.7
52212	50	95	46	62.4	150	1.16
52312	50	110	64	101	224	2.55
52412 M	50	130	93	199	430	6.35
52213	55	100	47	63.7	163	1.35
52214	55	105	47	65	173	1.5
52313	55	115	65	106	240	2.75
52314	55	125	72	135	320	3.65
52414 M	55	150	107	234	550	9.7
52215	60	110	47	67.6	183	1.55
52315	60	135	79	163	390	4.8
52216	65	115	48	76.1	208	1.7
52316	65	140	79	159	390	4.94
52217	70	125	55	97.5	275	2.4
52218	75	135	62	119	325	3.2
52220	85	150	67	124	345	4.2
52320	85	170	97	229	610	8.95
52222	95	160	67	130	390	4.65
52224	100	170	68	140	440	5.25
52226	110	190	80	186	585	8
52228	120	200	81	190	620	8.65
52230 M	130	215	89	238	800	11.5
52232 M	140	225	90	242	850	12
52234 M	150	240	97	286	1020	15
52236 M	150	250	98	296	1080	16