

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
22208 E	40	80	23	96.5	90	0.53
BS2-2208-2CS	40	80	28	96.5	90	0.57
21308 E	40	90	23	104	108	0.75
22308 E	40	90	33	150	140	1.05
BS2-2308-2CS	40	90	38	150	140	1.2
22209 E	45	85	23	102	98	0.58
BS2-2209-2CS	45	85	28	102	98	0.66
21309 E	45	100	25	125	127	0.99
21309 EK	45	100	25	125	127	0.98
22309 E	45	100	36	183	183	1.4
22309 EK	45	100	36	183	183	1.35
22210 E	50	90	23	104	108	0.63
BS2-2210-2CS	50	90	28	104	108	0.7
BS2-2210-2CSK	50	90	28	104	108	0.7
21310 E	50	110	27	156	166	1.35
21310 EK	50	110	27	156	166	1.35
22310 E	50	110	40	220	224	1.9
22310 E/VA405	50	110	40	220	224	1.9
22310 EK	50	110	40	220	224	1.85
22211 E	55	100	25	125	127	0.84
22211 EK	55	100	25	125	127	0.82
BS2-2211-2CS	55	100	31	125	127	1
BS2-2211-2CSK	55	100	31	125	127	1
21311 E	55	120	29	156	166	1.7
21311 EK	55	120	29	156	166	1.7
22311 E	55	120	43	270	280	2.45
22311 E/VA405	55	120	43	270	280	2.45
22311 EK	55	120	43	270	280	2.4
22311 EK/VA405	55	120	43	270	280	2.4
BS2-2311-2CS	55	120	49	270	280	2.8
22212 E	60	110	28	156	166	1.15
22212 EK	60	110	28	156	166	1.15
BS2-2212-2CS	60	110	34	156	166	1.3
BS2-2212-2CSK	60	110	34	156	166	1.3
21312 E	60	130	31	212	240	2.1
21312 EK	60	130	31	212	240	2.05
22312 E	60	130	46	310	335	3.1
22312 E/VA405	60	130	46	310	335	3.1
22312 EK	60	130	46	310	335	3.05
22312 EK/VA405	60	130	46	310	335	3.05
24013 CC/W33	65	100	35	132	173	0.95
24013 CCK30/W33	65	100	35	132	173	0.93
24013-2CS5/VT143	65	100	35	132	173	0.95
22213 E	65	120	31	193	216	1.55

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
22213 EK	65	120	31	193	216	1.5
BS2-2213-2CS	65	120	38	193	216	1.6
BS2-2213-2CSK	65	120	38	193	216	1.6
21313 E	65	140	33	236	270	2.55
21313 EK	65	140	33	236	270	2.5
22313 E	65	140	48	340	360	3.75
22313 E/VA405	65	140	48	340	360	3.75
22313 EK	65	140	48	340	360	3.65
22313 EK/VA405	65	140	48	340	360	3.65
22214 E	70	125	31	208	228	1.55
22214 EK	70	125	31	208	228	1.5
BS2-2214-2CS	70	125	38	208	228	1.8
BS2-2214-2CSK	70	125	38	208	228	1.75
21314 E	70	150	35	285	325	3.1
21314 EK	70	150	35	285	325	3.05
22314 E	70	150	51	400	430	4.55
22314 E/VA405	70	150	51	400	430	4.55
22314 EK	70	150	51	400	430	4.45
22314 EK/VA405	70	150	51	400	430	4.45
24015 CC/W33	75	115	40	173	232	1.55
24015 CCK30/W33	75	115	40	173	232	1.55
24015-2CS2/VT143	75	115	40	173	232	1.55
22215 E	75	130	31	212	240	1.7
22215 EK	75	130	31	212	240	1.65
BS2-2215-2CS	75	130	38	212	240	2.1
BS2-2215-2CSK	75	130	38	212	240	2.05
21315 E	75	160	37	285	325	3.75
21315 EK	75	160	37	285	325	3.7
22315 E	75	160	55	440	475	5.55
22315 EJA/VA405	75	160	55	440	475	5.55
22315 EK	75	160	55	440	475	5.45
22315 EKJA/VA405	75	160	55	440	475	5.45
BS2-2315-2CS	75	160	64	440	475	6.45
22216 E	80	140	33	236	270	2.1
22216 EK	80	140	33	236	270	2.05
BS2-2216-2CS	80	140	40	236	270	2.4
BS2-2216-2CSK	80	140	40	236	270	2.35
21316 E	80	170	39	325	375	4.45
21316 EK	80	170	39	325	375	4.4
22316 E	80	170	58	490	540	6.6
22316 EJA/VA405	80	170	58	490	540	6.6
22316 EK	80	170	58	490	540	6.45
22316 EKJA/VA405	80	170	58	490	540	6.45
22217 E	85	150	36	285	325	2.65

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
22217 EK	85	150	36	285	325	2.6
BS2-2217-2CS	85	150	44	285	325	3
BS2-2217-2CSK	85	150	44	285	325	2.9
21317 E	85	180	41	325	375	5.2
21317 EK	85	180	41	325	375	5.15
22317 E	85	180	60	550	620	7.65
22317 EJA/VA405	85	180	60	550	620	7.65
22317 EK	85	180	60	550	620	7.5
22317 EKJA/VA405	85	180	60	550	620	7.5
22218 E	90	160	40	325	375	3.4
22218 EK	90	160	40	325	375	3.35
BS2-2218-2CS	90	160	48	325	375	3.7
BS2-2218-2CSK	90	160	48	325	375	3.6
23218 CC/W33	90	160	52.4	355	440	4.65
23218 CCK/W33	90	160	52.4	355	440	4.5
21318 E	90	190	43	380	450	6.1
21318 EK	90	190	43	380	450	6
22318 E	90	190	64	610	695	9.05
22318 EJA/VA405	90	190	64	610	695	9.05
22318 EK	90	190	64	610	695	8.85
22318 EKJA/VA405	90	190	64	610	695	8.85
22219 E	95	170	43	380	450	4.15
22219 EK	95	170	43	380	450	4.05
21319 E	95	200	45	425	490	7.05
21319 EK	95	200	45	425	490	6.95
22319 E	95	200	67	670	765	10.5
22319 EJA/VA405	95	200	67	670	765	10.5
22319 EK	95	200	67	670	765	10.5
22319 EKJA/VA405	95	200	67	670	765	10.5
24020 CC/W33	100	150	50	285	415	3.15
24020 CCK30/W33	100	150	50	285	415	3.1
24020-2CS2/VT143	100	150	50	285	415	3.2
23120 CC/W33	100	165	52	365	490	4.55
23120 CCK/W33	100	165	52	365	490	4.4
23120-2CS2/VT143	100	165	52	365	490	4.4
24120 CC/W33	100	165	65	455	640	5.65
24120 CCK30/W33	100	165	65	455	640	5.55
22220 E	100	180	46	425	490	4.9
22220 EK	100	180	46	425	490	4.8
BS2-2220-2CS5/VT143	100	180	55	425	490	5.5
23220 CC/W33	100	180	60.3	475	600	6.85
23220 CCK/W33	100	180	60.3	475	600	6.65
23220-2CS	100	180	60.3	475	600	6.7
21320 E	100	215	47	425	490	8.6

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
21320 EK	100	215	47	425	490	8.5
22320 E	100	215	73	815	950	13.5
22320 EJA/VA405	100	215	73	815	950	13.5
22320 EK	100	215	73	815	950	13
22320 EKJA/VA405	100	215	73	815	950	13
23022 CC/W33	110	170	45	310	440	3.8
23022 CCK/W33	110	170	45	310	440	3.7
23022-2CS	110	170	45	310	440	3.75
24022 CC/W33	110	170	60	415	620	5
24022 CCK30/W33	110	170	60	415	620	4.9
23122 CC/W33	110	180	56	430	585	5.75
23122 CCK/W33	110	180	56	430	585	5.55
23122-2CS2/VT143	110	180	56	430	585	5.55
24122 CC/W33	110	180	69	520	750	7.1
24122 CCK30/W33	110	180	69	520	750	7
24122-2CS2/VT143	110	180	69	460	750	7
22222 E	110	200	53	560	640	7
22222 EK	110	200	53	560	640	6.85
BS2-2222-2CS5/VT143	110	200	63	560	640	7.6
23222 CC/W33	110	200	69.8	600	765	9.85
23222 CCK/W33	110	200	69.8	600	765	9.55
22322 E	110	240	80	950	1120	18.4
22322 EJA/VA405	110	240	80	950	1120	18.4
22322 EK	110	240	80	950	1120	18
22322 EKJA/VA405	110	240	80	950	1120	18
23024 CC/W33	120	180	46	355	510	4.2
23024 CCK/W33	120	180	46	355	510	4.05
23024-2CS2/VT143	120	180	46	355	510	4.2
24024 CC/W33	120	180	60	430	670	5.45
24024 CCK30/W33	120	180	60	430	670	5.35
24024-2CS2/VT143	120	180	60	430	670	5.45
23124 CC/W33	120	200	62	510	695	8
23124 CCK/W33	120	200	62	510	695	7.75
24124 CC/W33	120	200	80	655	950	10.3
24124 CCK30/W33	120	200	80	655	950	10
24124-2CS2/VT143	120	200	80	655	950	10.5
22224 E	120	215	58	630	765	8.7
22224 EK	120	215	58	630	765	8.5
BS2-2224-2CS	120	215	69	630	765	9.75
23224 CC/W33	120	215	76	695	930	12
23224 CCK/W33	120	215	76	695	930	11.5
22324 CC/W33	120	260	86	965	1120	23
22324 CCJA/W33VA405	120	260	86	965	1120	23
22324 CCK/W33	120	260	86	965	1120	22.5

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
22324 CCKJA/W33VA405	120	260	86	965	1120	22.5
23026 CC/W33	130	200	52	430	610	6
23026 CCK/W33	130	200	52	430	610	5.8
23026-2CS2/VT143	130	200	52	430	610	6
24026 CC/W33	130	200	69	540	815	8.05
24026 CCK30/W33	130	200	69	540	815	7.9
24026-2CS2/VT143	130	200	69	540	815	8.05
23126 CC/W33	130	210	64	560	780	8.8
23126 CCK/W33	130	210	64	560	780	8.5
24126 CC/W33	130	210	80	680	1000	11
24126 CCK30/W33	130	210	80	680	1000	11
24126-2CS2/VT143	130	210	80	680	1000	11
22226 E	130	230	64	735	930	11
22226 EK	130	230	64	735	930	10.7
23226 CC/W33	130	230	80	780	1060	14.5
23226 CCK/W33	130	230	80	780	1060	14
22326 CC/W33	130	280	93	1120	1320	29
22326 CCJA/W33VA405	130	280	93	1120	1320	29
22326 CCK/W33	130	280	93	1120	1320	28.5
22326 CCKJA/W33VA405	130	280	93	1120	1320	28.5
23028 CC/W33	140	210	53	465	680	6.55
23028 CCK/W33	140	210	53	465	680	6.35
24028 CC/W33	140	210	69	570	900	8.55
24028 CCK30/W33	140	210	69	570	900	8.4
24028-2CS2/VT143	140	210	69	570	900	8.55
23128 CC/W33	140	225	68	630	900	10.5
23128 CCK/W33	140	225	68	630	900	10
24128 CC/W33	140	225	85	765	1160	13.5
24128 CCK30/W33	140	225	85	765	1160	13.5
24128-2CS2/VT143	140	225	85	765	1160	13.5
22228 CC/W33	140	250	68	710	900	14
22228 CCK/W33	140	250	68	710	900	13.5
23228 CC/W33	140	250	88	915	1250	19
23228 CCK/W33	140	250	88	915	1250	18.5
23228-2CS5/VT143	140	250	88	915	1250	19.5
22328 CC/W33	140	300	102	1290	1560	36.5
22328 CCJA/W33VA405	140	300	102	1290	1560	36.5
22328 CCK/W33	140	300	102	1290	1560	36
22328 CCKJA/W33VA405	140	300	102	1290	1560	35.5
23030 CC/W33	150	225	56	510	750	7.95
23030 CCK/W33	150	225	56	510	750	7.7
24030 CC/W33	150	225	75	655	1040	10.5
24030 CCK30/W33	150	225	75	655	1040	10.5
24030-2CS2/VT143	150	225	75	655	1040	10.5

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
23130 CC/W33	150	250	80	830	1200	16
23130 CCK/W33	150	250	80	830	1200	15.5
24130 CC/W33	150	250	100	1020	1530	20
24130 CCK30/W33	150	250	100	1020	1530	19.5
24130-2CS2/VT143	150	250	100	1020	1530	19.5
22230 CC/W33	150	270	73	850	1080	18
22230 CCK/W33	150	270	73	850	1080	17.5
23230 CC/W33	150	270	96	1080	1460	24.5
23230 CCK/W33	150	270	96	1080	1460	24
22330 CC/W33	150	320	108	1460	1760	43.5
22330 CCJA/W33VA405	150	320	108	1460	1760	43.5
22330 CCK/W33	150	320	108	1460	1760	42.5
22330 CCKJA/W33VA405	150	320	108	1460	1760	42.5
23032 CC/W33	160	240	60	585	880	9.7
23032 CCK/W33	160	240	60	585	880	9.4
24032 CC/W33	160	240	80	750	1200	13
24032 CCK30/W33	160	240	80	750	1200	13
24032-2CS2/VT143	160	240	80	750	1200	13
23132 CC/W33	160	270	86	980	1370	20.5
23132 CCK/W33	160	270	86	980	1370	20
23132-2CS2/VT143	160	270	86	980	1400	26.5
24132 CC/W33	160	270	109	1180	1760	25
24132 CCK30/W33	160	270	109	1180	1760	24.5
22232 CC/W33	160	290	80	1000	1290	22.5
22232 CCK/W33	160	290	80	1000	1290	22
23232 CC/W33	160	290	104	1220	1660	31
23232 CCK/W33	160	290	104	1220	1660	30
22332 CC/W33	160	340	114	1600	1960	52
22332 CCJA/W33VA405	160	340	114	1600	1960	52
22332 CCK/W33	160	340	114	1600	1960	51
22332 CCKJA/W33VA405	160	340	114	1600	1960	51
23034 CC/W33	170	260	67	710	1060	13
23034 CCK/W33	170	260	67	710	1060	12.6
24034 CC/W33	170	260	90	930	1460	17.5
24034 CCK30/W33	170	260	90	930	1460	17
24034-2CS2/VT143	170	260	90	930	1460	17.5
23134 CC/W33	170	280	88	1040	1500	22
23134 CCK/W33	170	280	88	1040	1500	21.5
24134 CC/W33	170	280	109	1220	1860	27.5
24134 CCK30/W33	170	280	109	1220	1860	27
24134-2CS2/VT143	170	280	109	1220	1860	27
22234 CC/W33	170	310	86	1120	1460	28.5
22234 CCK/W33	170	310	86	1120	1460	28
23234 CC/W33	170	310	110	1400	1930	37.5

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
23234 CCK/W33	170	310	110	1400	1930	36.5
22334 CC/W33	170	360	120	1760	2160	61
22334 CCJA/W33VA405	170	360	120	1760	2160	61
22334 CCK/W33	170	360	120	1760	2160	59.5
22334 CCKJA/W33VA405	170	360	120	1760	2160	59.5
23936 CC/W33	180	250	52	431	830	7.9
23936 CCK/W33	180	250	52	431	830	7.65
23036 CC/W33	180	280	74	830	1250	17
23036 CCK/W33	180	280	74	830	1250	16.5
24036 CC/W33	180	280	100	1080	1730	23
24036 CCK30/W33	180	280	100	1080	1730	22.5
24036-2CS2/VT143	180	280	100	1080	1730	23
23136 CC/W33	180	300	96	1200	1760	28
23136 CCK/W33	180	300	96	1200	1760	27
24136 CC/W33	180	300	118	1400	2160	34.5
24136 CCK30/W33	180	300	118	1400	2160	34
22236 CC/W33	180	320	86	1180	1560	29.5
22236 CCK/W33	180	320	86	1180	1560	29
23236 CC/W33	180	320	112	1500	2120	39.5
23236 CCK/W33	180	320	112	1500	2120	38.5
22336 CC/W33	180	380	126	2000	2450	71.5
22336 CCJA/W33VA405	180	380	126	2000	2450	71.5
22336 CCK/W33	180	380	126	2000	2450	70
22336 CCKJA/W33VA405	180	380	126	2000	2450	70
23938 CC/W33	190	260	52	414	800	8.3
23938 CCK/W33	190	260	52	414	800	8.05
23038 CC/W33	190	290	75	865	1340	18
23038 CCK/W33	190	290	75	865	1340	17.5
24038 CC/W33	190	290	100	1120	1800	24.5
24038 CCK30/W33	190	290	100	1120	1800	24
23138 CC/W33	190	320	104	1370	2080	35
23138 CCK/W33	190	320	104	1370	2080	34
24138 CC/W33	190	320	128	1600	2500	43
24138 CCK30/W33	190	320	128	1600	2500	42.5
24138-2CS2/VT143	190	320	128	1600	2500	43
22238 CC/W33	190	340	92	1270	1700	36.5
22238 CCK/W33	190	340	92	1270	1700	35.5
23238 CC/W33	190	340	120	1660	2400	48
23238 CCK/W33	190	340	120	1660	2400	46.5
22338 CC/W33	190	400	132	2120	2650	82.5
22338 CCJA/W33VA405	190	400	132	2120	2650	82.5
22338 CCK/W33	190	400	132	2120	2650	81
22338 CCKJA/W33VA405	190	400	132	2120	2650	81
23940 CC/W33	200	280	60	546	1040	11.5

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
23940 CCK/W33	200	280	60	546	1040	11
23040 CC/W33	200	310	82	1000	1530	23.3
23040 CCK/W33	200	310	82	1000	1530	22.6
24040 CC/W33	200	310	109	1290	2120	31
24040 CCK30/W33	200	310	109	1290	2120	30.5
23140 CC/W33	200	340	112	1600	2360	43
23140 CCK/W33	200	340	112	1600	2360	41.5
24140 CC/W33	200	340	140	1800	2800	53.5
24140 CCK30/W33	200	340	140	1800	2800	52.5
24140-2CS	200	340	140	1800	2800	53.5
22240 CC/W33	200	360	98	1460	1930	43.5
22240 CCK/W33	200	360	98	1460	1930	42.5
23240 CC/W33	200	360	128	1860	2700	58
23240 CCK/W33	200	360	128	1860	2700	56.5
23240-2CS2/VT143	200	360	128	1860	2700	58
22340 CC/W33	200	420	138	2320	2900	95
22340 CCJA/W33VA405	200	420	138	2320	2900	95
22340 CCK/W33	200	420	138	2320	2900	93
22340 CCKJA/W33VA405	200	420	138	2320	2900	93
23944 CC/W33	220	300	60	546	1080	12.5
23944 CCK/W33	220	300	60	546	1080	12
23944-2CS	220	300	60	546	1080	12.5
23044 CC/W33	220	340	90	1220	1860	30.5
23044 CCK/W33	220	340	90	1220	1860	29.5
24044 CC/W33	220	340	118	1560	2600	40
24044 CCK30/W33	220	340	118	1560	2600	39.5
23144 CC/W33	220	370	120	1800	2750	53.5
23144 CCK/W33	220	370	120	1800	2750	52
24144 CC/W33	220	370	150	2120	3350	67
24144 CCK30/W33	220	370	150	2120	3350	66
22244 CC/W33	220	400	108	1760	2360	60.5
22244 CCK/W33	220	400	108	1760	2360	59
23244 CC/W33	220	400	144	2360	3450	81.5
23244 CCK/W33	220	400	144	2360	3450	79
22344 CC/W33	220	460	145	2700	3450	120
22344 CCJA/W33VA405	220	460	145	2700	3450	120
22344 CCK/W33	220	460	145	2700	3450	115
22344 CCKJA/W33VA405	220	460	145	2700	3450	115
23948 CC/W33	240	320	60	564	1160	13.5
23948 CCK/W33	240	320	60	564	1160	13
23048 CC/W33	240	360	92	1290	2080	33.5
23048 CCK/W33	240	360	92	1290	2080	32.5
24048 CC/W33	240	360	118	1600	2700	43
24048 CCK30/W33	240	360	118	1600	2700	42.5

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
23148 CC/W33	240	400	128	2080	3200	66.5
23148 CCK/W33	240	400	128	2080	3200	64.5
24148 CC/W33	240	400	160	2400	3900	83
24148 CCK30/W33	240	400	160	2400	3900	81.5
22248 CC/W33	240	440	120	2200	3000	83
22248 CCK/W33	240	440	120	2200	3000	81
23248 CC/W33	240	440	160	2900	4300	110
23248 CCK/W33	240	440	160	2900	4300	105
22348 CC/W33	240	500	155	3100	4000	155
22348 CCJA/W33VA405	240	500	155	3100	4000	155
22348 CCK/W33	240	500	155	3100	4000	150
22348 CCKJA/W33VA405	240	500	155	3100	4000	150
23952 CC/W33	260	360	75	880	1800	23.5
23952 CCK/W33	260	360	75	880	1800	22.5
23052 CC/W33	260	400	104	1600	2550	48.5
23052 CCK/W33	260	400	104	1600	2550	47
24052 CC/W33	260	400	140	2040	3450	65.5
24052 CCK30/W33	260	400	140	2040	3450	64.5
23152 CC/W33	260	440	144	2550	3900	90.5
23152 CCK/W33	260	440	144	2550	3900	87.5
24152 CC/W33	260	440	180	3000	4800	110
24152 CCK30/W33	260	440	180	3000	4800	110
22252 CC/W33	260	480	130	2650	3550	110
22252 CCK/W33	260	480	130	2650	3550	108
23252 CC/W33	260	480	174	3250	4750	140
23252 CCK/W33	260	480	174	3250	4750	135
22352 CC/W33	260	540	165	3550	4550	190
22352 CCK/W33	260	540	165	3550	4550	185
23956 CC/W33	280	380	75	845	1760	25
23956 CCK/W33	280	380	75	845	1760	24
23056 CC/W33	280	420	106	1730	2850	52.5
23056 CCK/W33	280	420	106	1730	2850	51
24056 CC/W33	280	420	140	2160	3800	69.5
24056 CCK30/W33	280	420	140	2160	3800	68.5
23156 CC/W33	280	460	146	2650	4250	97
23156 CCK/W33	280	460	146	2650	4250	94
24156 CC/W33	280	460	180	3100	5100	120
24156 CCK30/W33	280	460	180	3100	5100	120
22256 CC/W33	280	500	130	2700	3750	115
22256 CCK/W33	280	500	130	2700	3750	115
23256 CC/W33	280	500	176	3250	4900	150
23256 CCK/W33	280	500	176	3250	4900	145
22356 CC/W33	280	580	175	4000	5200	235
22356 CCK/W33	280	580	175	4000	5200	230

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
23960 CC/W33	300	420	90	1200	2500	39.5
23960 CCK/W33	300	420	90	1200	2500	38
23060 CC/W33	300	460	118	2120	3450	71.5
23060 CCK/W33	300	460	118	2120	3450	69.5
24060 CC/W33	300	460	160	2700	4750	97
24060 CCK30/W33	300	460	160	2700	4750	95.5
23160 CC/W33	300	500	160	3200	5100	125
23160 CCK/W33	300	500	160	3200	5100	120
24160 CC/W33	300	500	200	3750	6300	160
24160 CCK30/W33	300	500	200	3750	6300	160
22260 CC/W33	300	540	140	3150	4250	145
22260 CCK/W33	300	540	140	3150	4250	140
23260 CC/W33	300	540	192	3900	5850	190
23260 CCK/W33	300	540	192	3900	5850	185
23964 CC/W33	320	440	90	1430	2700	42
23964 CCK/W33	320	440	90	1430	2700	40.5
23064 CC/W33	320	480	121	2240	3800	78
23064 CCK/W33	320	480	121	2240	3800	75.5
24064 CC/W33	320	480	160	2850	5100	100
24064 CCK30/W33	320	480	160	2850	5100	98.5
23164 CC/W33	320	540	176	3750	6000	165
23164 CCK/W33	320	540	176	3750	6000	160
24164 CC/W33	320	540	218	4250	7100	210
24164 CCK30/W33	320	540	218	4250	7100	205
22264 CC/W33	320	580	150	3600	4900	175
22264 CCK/W33	320	580	150	3600	4900	170
23264 CC/W33	320	580	208	4400	6700	240
23264 CCK/W33	320	580	208	4400	6700	235
23968 CC/W33	340	460	90	1460	2800	45.5
23968 CCK/W33	340	460	90	1460	2800	43
23068 CC/W33	340	520	133	2700	4550	105
23068 CCK/W33	340	520	133	2700	4550	100
24068 CC/W33	340	520	180	3450	6200	140
24068 CCK30/W33	340	520	180	3450	6200	140
23168 CC/W33	340	580	190	4250	6800	210
23168 CCK/W33	340	580	190	4250	6800	205
24168 ECCJ/W33	340	580	243	5300	8650	280
24168 ECCK30J/W33	340	580	243	5300	8650	275
23268 CA/W33	340	620	224	5100	7800	295
23268 CAK/W33	340	620	224	5100	7800	285
23972 CC/W33	360	480	90	1400	2750	46
23972 CCK/W33	360	480	90	1400	2750	45
23072 CC/W33	360	540	134	2750	4800	110
23072 CCK/W33	360	540	134	2750	4800	105

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
24072 CC/W33	360	540	180	3550	6550	145
24072 CCK30/W33	360	540	180	3550	6550	145
23172 CC/W33	360	600	192	4300	6950	220
23172 CCK/W33	360	600	192	4300	6950	215
24172 ECCJ/W33	360	600	243	5600	9300	280
24172 ECCK30J/W33	360	600	243	5600	9300	275
22272 CA/W33	360	650	170	4300	6200	255
22272 CAK/W33	360	650	170	4300	6200	250
23272 CA/W33	360	650	232	5400	8300	335
23272 CAK/W33	360	650	232	5400	8300	325
23976 CC/W33	380	520	106	1960	3800	69
23976 CCK/W33	380	520	106	1960	3800	64.5
23076 CC/W33	380	560	135	2900	5000	115
23076 CCK/W33	380	560	135	2900	5000	110
24076 CC/W33	380	560	180	3600	6800	150
24076 CCK30/W33	380	560	180	3600	6800	145
23176 CA/W33	380	620	194	4400	7100	230
23176 CAK/W33	380	620	194	4400	7100	225
24176 ECA/W33	380	620	243	5700	9800	300
24176 ECAK30/W33	380	620	243	5700	9800	295
23276 CA/W33	380	680	240	5850	9150	375
23276 CAK/W33	380	680	240	5850	9150	365
23980 CC/W33	400	540	106	2000	3900	71
23980 CCK/W33	400	540	106	2000	3900	68.5
23080 CC/W33	400	600	148	3250	5700	150
23080 CCK/W33	400	600	148	3250	5700	145
24080 ECCJ/W33	400	600	200	4300	8000	205
24080 ECCK30J/W33	400	600	200	4300	8000	200
23180 CA/W33	400	650	200	4650	7650	265
23180 CAK/W33	400	650	200	4650	7650	255
24180 ECA/W33	400	650	250	6200	10600	340
24180 ECAK30/W33	400	650	250	6200	10600	335
23280 CA/W33	400	720	256	6550	10400	450
23280 CAK/W33	400	720	256	6550	10400	435
22380 CA/W33	400	820	243	7500	10400	650
22380 CAK/W33	400	820	243	7500	10400	640
23984 CC/W33	420	560	106	2040	4150	74.5
23984 CCK/W33	420	560	106	2040	4150	72
23084 CA/W33	420	620	150	3400	6000	155
23084 CAK/W33	420	620	150	3400	6000	150
24084 ECA/W33	420	620	200	4400	8300	210
24084 ECAK30/W33	420	620	200	4400	8300	205
23184 CJ/W33	420	700	224	5600	9300	350
23184 CKJ/W33	420	700	224	5600	9300	340

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
24184 ECA/W33	420	700	280	7350	12600	445
24184 ECAK30/W33	420	700	280	7350	12600	440
23284 CA/W33	420	760	272	7350	11600	535
23284 CAK/W33	420	760	272	7350	11600	520
23988 CC/W33	440	600	118	2450	4900	99.5
23988 CCK/W33	440	600	118	2450	4900	96.5
23088 CA/W33	440	650	157	3650	6550	180
23088 CAK/W33	440	650	157	3650	6550	175
24088 ECA/W33	440	650	212	4800	9150	245
24088 ECAK30/W33	440	650	212	4800	9150	240
23188 CA/W33	440	720	226	6000	10000	360
23188 CAK/W33	440	720	226	6000	10000	350
24188 ECA/W33	440	720	280	7500	13200	460
24188 ECAK30/W33	440	720	280	7500	13200	455
23288 CA/W33	440	790	280	7800	12500	590
23288 CAK/W33	440	790	280	7800	12500	570
24892 CAK30MA/W20	460	580	118	1790	4900	74
24892 CAMA/W20	460	580	118	1790	4900	75.5
23992 CA/W33	460	620	118	2500	5000	105
23992 CAK/W33	460	620	118	2500	5000	100
23092 CA/W33	460	680	163	3900	6950	205
23092 CAK/W33	460	680	163	3900	6950	200
24092 ECA/W33	460	680	218	5200	10000	275
24092 ECAK30/W33	460	680	218	5200	10000	270
23192 CA/W33	460	760	240	6400	10800	440
23192 CAK/W33	460	760	240	6400	10800	425
24192 ECA/W33	460	760	300	8300	14600	560
24192 ECAK30/W33	460	760	300	8300	14600	550
23292 CA/W33	460	830	296	8500	13700	695
23292 CAK/W33	460	830	296	8500	13700	675
23996 CA/W33	480	650	128	2900	5700	125
23996 CAK/W33	480	650	128	2900	5700	120
23096 CA/W33	480	700	165	3900	6800	215
23096 CAK/W33	480	700	165	3900	6800	210
24096 ECA/W33	480	700	218	5300	10400	285
24096 ECAK30/W33	480	700	218	5300	10400	280
23196 CA/W33	480	790	248	6950	12000	485
23196 CAK/W33	480	790	248	6950	12000	470
24196 ECA/W33	480	790	308	9000	15600	605
24196 ECAK30/W33	480	790	308	9000	15600	595
23296 CA/W33	480	870	310	9300	15000	800
23296 CAK/W33	480	870	310	9300	15000	775
239/500 CA/W33	500	670	128	2900	6000	130
239/500 CAK/W33	500	670	128	2900	6000	125

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
230/500 CA/W33	500	720	167	4150	7800	225
230/500 CAK/W33	500	720	167	4150	7800	220
240/500 ECA/W33	500	720	218	5500	11000	295
240/500 ECAK30/W33	500	720	218	5500	11000	290
231/500 CA/W33	500	830	264	7650	12900	580
231/500 CAK/W33	500	830	264	7650	12900	560
241/500 ECA/W33	500	830	325	9800	17000	700
241/500 ECAK30/W33	500	830	325	9800	17000	690
232/500 CA/W33	500	920	336	10600	17300	985
232/500 CAK/W33	500	920	336	10600	17300	955
248/530 CAK30MA/W20	530	650	118	1840	5300	84.5
248/530 CAMA/W20	530	650	118	1840	5300	86
239/530 CA/W33	530	710	136	3200	6700	155
239/530 CAK/W33	530	710	136	3200	6700	150
230/530 CA/W33	530	780	185	5100	9300	310
230/530 CAK/W33	530	780	185	5100	9300	300
240/530 ECA/W33	530	780	250	6700	13200	410
240/530 ECAK30/W33	530	780	250	6700	13200	405
231/530 CA/W33	530	870	272	8150	14000	645
231/530 CAK/W33	530	870	272	8150	14000	625
241/530 ECA/W33	530	870	335	10600	19000	830
241/530 ECAK30/W33	530	870	335	10600	19000	820
232/530 CA/W33	530	980	355	11100	20400	1200
232/530 CAK/W33	530	980	355	11100	20400	1165
239/560 CA/W33	560	750	140	3450	7200	175
239/560 CAK/W33	560	750	140	3450	7200	170
230/560 CA/W33	560	820	195	5600	10200	355
230/560 CAK/W33	560	820	195	5600	10200	345
240/560 ECA/W33	560	820	258	7350	14600	465
240/560 ECAK30/W33	560	820	258	7350	14600	455
231/560 CA/W33	560	920	280	9150	16000	740
231/560 CAK/W33	560	920	280	9150	16000	715
241/560 ECJ/W33	560	920	355	12000	21600	985
241/560 ECK30J/W33	560	920	355	12000	21600	975
232/560 CA/W33	560	1030	365	11500	22000	1350
232/560 CAK/W33	560	1030	365	11500	22000	1310
239/600 CA/W33	600	800	150	3900	8300	220
239/600 CAK/W33	600	800	150	3900	8300	215
230/600 CA/W33	600	870	200	6000	11400	405
230/600 CAK/W33	600	870	200	6000	11400	395
240/600 ECAF/W33	600	870	272	8150	17000	520
240/600 ECAK30F/W33	600	870	272	8150	17000	510
231/600 CA/W33	600	980	300	10200	18000	895
231/600 CAK/W33	600	980	300	10200	18000	865

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
241/600 ECA/W33	600	980	375	11500	23600	1200
241/600 ECAK30/W33	600	980	375	11500	23600	1185
232/600 CA/W33	600	1090	388	13100	25500	1600
232/600 CAK/W33	600	1090	388	13100	25500	1555
238/630 CAKMA/W20	630	780	112	2190	6100	115
238/630 CAMA/W20	630	780	112	2190	6100	120
239/630 CA/W33	630	850	165	4650	9800	280
239/630 CAK/W33	630	850	165	4650	9800	270
230/630 CA/W33	630	920	212	6700	12500	485
230/630 CAK/W33	630	920	212	6700	12500	470
240/630 ECJ/W33	630	920	290	8800	18000	645
240/630 ECK30J/W33	630	920	290	8800	18000	635
231/630 CA/W33	630	1030	315	10500	20800	1050
231/630 CAK/W33	630	1030	315	10500	20800	1015
241/630 ECA/W33	630	1030	400	12700	27000	1400
241/630 ECAK30/W33	630	1030	400	12700	27000	1380
238/670 CAKMA/W20	670	820	112	2250	6400	125
238/670 CAMA/W20	670	820	112	2250	6400	130
248/670 CAMA/W20	670	820	150	3110	9500	172
239/670 CA/W33	670	900	170	5000	10800	315
239/670 CAK/W33	670	900	170	5000	10800	305
230/670 CA/W33	670	980	230	7650	14600	600
230/670 CAK/W33	670	980	230	7650	14600	580
240/670 ECA/W33	670	980	308	10000	20400	790
240/670 ECAK30/W33	670	980	308	10000	20400	775
231/670 CA/W33	670	1090	336	10900	22400	1250
231/670 CAK/W33	670	1090	336	10900	22400	1210
241/670 ECA/W33	670	1090	412	13800	29000	1600
241/670 ECAK30/W33	670	1090	412	13800	29000	1575
232/670 CA/W33	670	1220	438	15400	30500	2270
232/670 CAK/W33	670	1220	438	15400	30500	2205
238/710 CAMA/W20	710	870	118	2580	7500	153
239/710 CA/W33	710	950	180	5600	12000	365
239/710 CAK/W33	710	950	180	5600	12000	355
249/710 CA/W33	710	950	243	6800	15600	495
249/710 CAK30/W33	710	950	243	6800	15600	485
230/710 CA/W33	710	1030	236	8300	16300	670
230/710 CAK/W33	710	1030	236	8300	16300	650
240/710 ECA/W33	710	1030	315	10400	22000	895
240/710 ECAK30/W33	710	1030	315	10400	22000	880
231/710 CA/W33	710	1150	345	12200	26000	1450
231/710 CAK/W33	710	1150	345	12200	26000	1405
241/710 ECA/W33	710	1150	438	15200	32500	1900
241/710 ECAK30/W33	710	1150	438	15200	32500	1870

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
232/710 CA/W33	710	1280	450	17600	34500	2610
232/710 CAK/W33	710	1280	450	17600	34500	2535
238/750 CAKMA/W20	750	920	128	2930	8500	175
238/750 CAMA/W20	750	920	128	2930	8500	180
239/750 CA/W33	750	1000	185	6000	13200	420
239/750 CAK/W33	750	1000	185	6000	13200	405
249/750 CA/W33	750	1000	250	7650	18000	560
249/750 CAK30/W33	750	1000	250	7650	18000	550
230/750 CA/W33	750	1090	250	9650	18600	795
230/750 CAK/W33	750	1090	250	9650	18600	770
240/750 ECA/W33	750	1090	335	10100	25000	1065
240/750 ECA/W33	750	1090	335	10100	25000	1065
240/750 ECAK30/W33	750	1090	335	10100	25000	1050
240/750 ECAK30/W33	750	1090	335	10100	25000	1050
231/750 CA/W33	750	1220	365	13800	29000	1700
231/750 CAK/W33	750	1220	365	13800	29000	1650
241/750 ECA/W33	750	1220	475	17300	37500	2100
241/750 ECAK30/W33	750	1220	475	17300	37500	2065
232/750 CAF/W33	750	1360	475	18700	36500	3050
232/750 CAKF/W33	750	1360	475	18700	36500	2960
248/800 CAK30MA/W20	800	980	180	4140	12900	295
248/800 CAMA/W20	800	980	180	4140	12900	300
239/800 CA/W33	800	1060	195	6400	14300	470
239/800 CAK/W33	800	1060	195	6400	14300	455
249/800 CA/W33	800	1060	258	8000	19300	640
249/800 CAK30/W33	800	1060	258	8000	19300	630
230/800 CA/W33	800	1150	258	10000	20000	895
230/800 CAK/W33	800	1150	258	10000	20000	865
240/800 ECA/W33	800	1150	345	12500	27500	1200
240/800 ECAK30/W33	800	1150	345	12500	27500	1180
231/800 CA/W33	800	1280	375	14800	31500	1920
231/800 CAK/W33	800	1280	375	14800	31500	1860
241/800 ECA/W33	800	1280	475	18400	40500	2300
241/800 ECAK30/W33	800	1280	475	18400	40500	2265
238/850 CAKMA/W20	850	1030	136	3340	10000	230
238/850 CAMA/W20	850	1030	136	3340	10000	240
239/850 CA/W33	850	1120	200	6950	15600	560
239/850 CAK/W33	850	1120	200	6950	15600	540
249/850 CA/W33	850	1120	272	9300	22800	740
249/850 CAK30/W33	850	1120	272	9300	22800	725
230/850 CA/W33	850	1220	272	9370	21600	1050
230/850 CAK/W33	850	1220	272	9370	21600	1015
240/850 ECA/W33	850	1220	365	12700	31500	1410
240/850 ECAK30/W33	850	1220	365	12700	31500	1385

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
231/850 CA/W33	850	1360	400	16100	34500	2200
231/850 CAK/W33	850	1360	400	16100	34500	2130
241/850 ECAF/W33	850	1360	500	20200	45000	2710
241/850 ECAK30F/W33	850	1360	500	20200	45000	2665
248/900 CAK30MA/W20	900	1090	190	4660	15300	365
248/900 CAMA/W20	900	1090	190	4660	15300	370
239/900 CA/W33	900	1180	206	7500	17000	605
239/900 CAK/W33	900	1180	206	7500	17000	585
230/900 CA/W33	900	1280	280	10100	23200	1200
230/900 CAK/W33	900	1280	280	10100	23200	1165
240/900 ECA/W33	900	1280	375	13600	34500	1570
240/900 ECAK30/W33	900	1280	375	13600	34500	1545
241/900 ECAF/W33	900	1420	515	21400	49000	3350
241/900 ECAK30F/W33	900	1420	515	21400	49000	3300
239/950 CA/W33	950	1250	224	7250	19600	755
239/950 CAK/W33	950	1250	224	7250	19600	730
249/950 CA/W33	950	1250	300	9200	26000	1015
249/950 CAK30/W33	950	1250	300	9200	26000	995
230/950 CA/W33	950	1360	300	12000	28500	1450
230/950 CAK/W33	950	1360	300	12000	28500	1405
240/950 CAF/W33	950	1360	412	14800	39000	1990
240/950 CAK30F/W33	950	1360	412	14800	39000	1955
241/950 ECAF/W33	950	1500	545	23900	55000	3535
241/950 ECAK30F/W33	950	1500	545	23900	55000	3475
238/1000 CAKMA/W20	1000	1220	165	4660	14300	395
238/1000 CAMA/W20	1000	1220	165	4660	14300	410
249/1000 CA/W33	1000	1320	315	10400	29000	1200
249/1000 CAK30/W33	1000	1320	315	10400	29000	1180
230/1000 CAF/W33	1000	1420	308	12700	30500	1600
230/1000 CAKF/W33	1000	1420	308	12700	30500	1550
240/1000 CAF/W33	1000	1420	412	15400	40500	2140
240/1000 CAK30F/W33	1000	1420	412	15400	40500	2105
231/1000 CAF/W33	1000	1580	462	21400	48000	3500
231/1000 CAKF/W33	1000	1580	462	21400	48000	3390
241/1000 ECAF/W33	1000	1580	580	26700	62000	4300
241/1000 ECAK30F/W33	1000	1580	580	26700	62000	4230
238/1060 CAKMA/W20	1060	1280	165	4770	15000	420
238/1060 CAMA/W20	1060	1280	165	4770	15000	435
248/1060 CAK30MA/W20	1060	1280	218	6100	20000	560
248/1060 CAMA/W20	1060	1280	218	6100	20000	570
239/1060 CAF/W33	1060	1400	250	9550	26000	1100
239/1060 CAKF/W33	1060	1400	250	9550	26000	1065
249/1060 CAF/W33	1060	1400	335	11500	32500	1400
249/1060 CAK30F/W33	1060	1400	335	11500	32500	1375

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
230/1060 CAF/W33	1060	1500	325	13800	34000	2250
230/1060 CAKF/W33	1060	1500	325	13800	34000	2190
240/1060 CAF/W33	1060	1500	438	17300	45500	2515
240/1060 CAK30F/W33	1060	1500	438	17300	45500	2475
248/1120 CAFA/W20	1120	1360	243	7250	24000	735
248/1120 CAK30FA/W20	1120	1360	243	7250	24000	720
249/1120 CAF/W33	1120	1460	335	11700	34500	1500
249/1120 CAK30F/W33	1120	1460	335	11700	34500	1475
240/1120 CAF/W33	1120	1580	462	18700	50000	2925
240/1120 CAK30F/W33	1120	1580	462	18700	50000	2825
238/1180 CAFA/W20	1180	1420	180	5870	18600	575
238/1180 CAKFA/W20	1180	1420	180	5870	18600	555
248/1180 CAFA/W20	1180	1420	243	7710	27000	770
248/1180 CAK30FA/W20	1180	1420	243	7710	27000	755
239/1180 CAF/W33	1180	1540	272	11100	31000	1400
239/1180 CAKF/W33	1180	1540	272	11100	31000	1355
249/1180 CAF/W33	1180	1540	355	13600	40500	1800
249/1180 CAK30F/W33	1180	1540	355	13600	40500	1770
230/1250 CAF/W33	1250	1750	375	17900	45000	2840
230/1250 CAKF/W33	1250	1750	375	17900	45000	2750
248/1320 CAFA/W20	1320	1600	280	9780	33500	1160
248/1320 CAK30FA/W20	1320	1600	280	9780	33500	1140
249/1320 CAF/W33	1320	1720	400	16100	49000	2500
249/1320 CAK30F/W33	1320	1720	400	16100	49000	2455
248/1500 CAFA/W20	1500	1820	315	12700	45000	1710
248/1500 CAK30FA/W20	1500	1820	315	12700	45000	1680
248/1800 CAFA/W20	1800	2180	375	17600	63000	2900
248/1800 CAK30FA/W20	1800	2180	375	17600	63000	2850

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing

SUP bearing