

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
22208 E	40	80	23	96.5	90	0.53
BS2-2208-2CS	40	80	28	96.5	90	0.57
21308 E	40	90	23	104	108	0.75
22308 E	40	90	33	150	140	1.05
BS2-2308-2CS	40	90	38	150	140	1.2
22209 E	45	85	23	102	98	0.58
BS2-2209-2CS	45	85	28	102	98	0.66
21309 E	45	100	25	125	127	0.99
21309 EK	45	100	25	125	127	0.98
22309 E	45	100	36	183	183	1.4
22309 EK	45	100	36	183	183	1.35
22210 E	50	90	23	104	108	0.63
BS2-2210-2CS	50	90	28	104	108	0.7
BS2-2210-2CSK	50	90	28	104	108	0.7
21310 E	50	110	27	156	166	1.35
21310 EK	50	110	27	156	166	1.35
22310 E	50	110	40	220	224	1.9
22310 E/VA405	50	110	40	220	224	1.9
22310 EK	50	110	40	220	224	1.85
22211 E	55	100	25	125	127	0.84
22211 EK	55	100	25	125	127	0.82
BS2-2211-2CS	55	100	31	125	127	1
BS2-2211-2CSK	55	100	31	125	127	1
21311 E	55	120	29	156	166	1.7
21311 EK	55	120	29	156	166	1.7
22311 E	55	120	43	270	280	2.45
22311 E/VA405	55	120	43	270	280	2.45
22311 EK	55	120	43	270	280	2.4
22311 EK/VA405	55	120	43	270	280	2.4
BS2-2311-2CS	55	120	49	270	280	2.8
22212 E	60	110	28	156	166	1.15
22212 EK	60	110	28	156	166	1.15
BS2-2212-2CS	60	110	34	156	166	1.3
BS2-2212-2CSK	60	110	34	156	166	1.3
21312 E	60	130	31	212	240	2.1
21312 EK	60	130	31	212	240	2.05
22312 E	60	130	46	310	335	3.1
22312 E/VA405	60	130	46	310	335	3.1
22312 EK	60	130	46	310	335	3.05
22312 EK/VA405	60	130	46	310	335	3.05
24013 CC/W33	65	100	35	132	173	0.95
24013 CCK30/W33	65	100	35	132	173	0.93
24013-2CS5/VT143	65	100	35	132	173	0.95
22213 E	65	120	31	193	216	1.55

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
22213 EK	65	120	31	193	216	1.5
BS2-2213-2CS	65	120	38	193	216	1.6
BS2-2213-2CSK	65	120	38	193	216	1.6
21313 E	65	140	33	236	270	2.55
21313 EK	65	140	33	236	270	2.5
22313 E	65	140	48	340	360	3.75
22313 E/VA405	65	140	48	340	360	3.75
22313 EK	65	140	48	340	360	3.65
22313 EK/VA405	65	140	48	340	360	3.65
22214 E	70	125	31	208	228	1.55
22214 EK	70	125	31	208	228	1.5
BS2-2214-2CS	70	125	38	208	228	1.8
BS2-2214-2CSK	70	125	38	208	228	1.75
21314 E	70	150	35	285	325	3.1
21314 EK	70	150	35	285	325	3.05
22314 E	70	150	51	400	430	4.55
22314 E/VA405	70	150	51	400	430	4.55
22314 EK	70	150	51	400	430	4.45
22314 EK/VA405	70	150	51	400	430	4.45
24015 CC/W33	75	115	40	173	232	1.55
24015 CCK30/W33	75	115	40	173	232	1.55
24015-2CS2/VT143	75	115	40	173	232	1.55
22215 E	75	130	31	212	240	1.7
22215 EK	75	130	31	212	240	1.65
BS2-2215-2CS	75	130	38	212	240	2.1
BS2-2215-2CSK	75	130	38	212	240	2.05
21315 E	75	160	37	285	325	3.75
21315 EK	75	160	37	285	325	3.7
22315 E	75	160	55	440	475	5.55
22315 EJA/VA405	75	160	55	440	475	5.55
22315 EK	75	160	55	440	475	5.45
22315 EKJA/VA405	75	160	55	440	475	5.45
BS2-2315-2CS	75	160	64	440	475	6.45
22216 E	80	140	33	236	270	2.1
22216 EK	80	140	33	236	270	2.05
BS2-2216-2CS	80	140	40	236	270	2.4
BS2-2216-2CSK	80	140	40	236	270	2.35
21316 E	80	170	39	325	375	4.45
21316 EK	80	170	39	325	375	4.4
22316 E	80	170	58	490	540	6.6
22316 EJA/VA405	80	170	58	490	540	6.6
22316 EK	80	170	58	490	540	6.45
22316 EKJA/VA405	80	170	58	490	540	6.45
22217 E	85	150	36	285	325	2.65

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
22217 EK	85	150	36	285	325	2.6
BS2-2217-2CS	85	150	44	285	325	3
BS2-2217-2CSK	85	150	44	285	325	2.9
21317 E	85	180	41	325	375	5.2
21317 EK	85	180	41	325	375	5.15
22317 E	85	180	60	550	620	7.65
22317 EJA/VA405	85	180	60	550	620	7.65
22317 EK	85	180	60	550	620	7.5
22317 EKJA/VA405	85	180	60	550	620	7.5
22218 E	90	160	40	325	375	3.4
22218 EK	90	160	40	325	375	3.35
BS2-2218-2CS	90	160	48	325	375	3.7
BS2-2218-2CSK	90	160	48	325	375	3.6
23218 CC/W33	90	160	52.4	355	440	4.65
23218 CCK/W33	90	160	52.4	355	440	4.5
21318 E	90	190	43	380	450	6.1
21318 EK	90	190	43	380	450	6
22318 E	90	190	64	610	695	9.05
22318 EJA/VA405	90	190	64	610	695	9.05
22318 EK	90	190	64	610	695	8.85
22318 EKJA/VA405	90	190	64	610	695	8.85
22219 E	95	170	43	380	450	4.15
22219 EK	95	170	43	380	450	4.05
21319 E	95	200	45	425	490	7.05
21319 EK	95	200	45	425	490	6.95
22319 E	95	200	67	670	765	10.5
22319 EJA/VA405	95	200	67	670	765	10.5
22319 EK	95	200	67	670	765	10.5
22319 EKJA/VA405	95	200	67	670	765	10.5
24020 CC/W33	100	150	50	285	415	3.15
24020 CCK30/W33	100	150	50	285	415	3.1
24020-2CS2/VT143	100	150	50	285	415	3.2
23120 CC/W33	100	165	52	365	490	4.55
23120 CCK/W33	100	165	52	365	490	4.4
23120-2CS2/VT143	100	165	52	365	490	4.4
24120 CC/W33	100	165	65	455	640	5.65
24120 CCK30/W33	100	165	65	455	640	5.55
22220 E	100	180	46	425	490	4.9
22220 EK	100	180	46	425	490	4.8
BS2-2220-2CS5/VT143	100	180	55	425	490	5.5
23220 CC/W33	100	180	60.3	475	600	6.85
23220 CCK/W33	100	180	60.3	475	600	6.65
23220-2CS	100	180	60.3	475	600	6.7
21320 E	100	215	47	425	490	8.6

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
21320 EK	100	215	47	425	490	8.5
22320 E	100	215	73	815	950	13.5
22320 EJA/VA405	100	215	73	815	950	13.5
22320 EK	100	215	73	815	950	13
22320 EKJA/VA405	100	215	73	815	950	13
23022 CC/W33	110	170	45	310	440	3.8
23022 CCK/W33	110	170	45	310	440	3.7
23022-2CS	110	170	45	310	440	3.75
24022 CC/W33	110	170	60	415	620	5
24022 CCK30/W33	110	170	60	415	620	4.9
23122 CC/W33	110	180	56	430	585	5.75
23122 CCK/W33	110	180	56	430	585	5.55
23122-2CS2/VT143	110	180	56	430	585	5.55
24122 CC/W33	110	180	69	520	750	7.1
24122 CCK30/W33	110	180	69	520	750	7
24122-2CS2/VT143	110	180	69	460	750	7
22222 E	110	200	53	560	640	7
22222 EK	110	200	53	560	640	6.85
BS2-2222-2CS5/VT143	110	200	63	560	640	7.6
23222 CC/W33	110	200	69.8	600	765	9.85
23222 CCK/W33	110	200	69.8	600	765	9.55
22322 E	110	240	80	950	1120	18.4
22322 EJA/VA405	110	240	80	950	1120	18.4
22322 EK	110	240	80	950	1120	18
22322 EKJA/VA405	110	240	80	950	1120	18
23024 CC/W33	120	180	46	355	510	4.2
23024 CCK/W33	120	180	46	355	510	4.05
23024-2CS2/VT143	120	180	46	355	510	4.2
24024 CC/W33	120	180	60	430	670	5.45
24024 CCK30/W33	120	180	60	430	670	5.35
24024-2CS2/VT143	120	180	60	430	670	5.45
23124 CC/W33	120	200	62	510	695	8
23124 CCK/W33	120	200	62	510	695	7.75
24124 CC/W33	120	200	80	655	950	10.3
24124 CCK30/W33	120	200	80	655	950	10
24124-2CS2/VT143	120	200	80	655	950	10.5
22224 E	120	215	58	630	765	8.7
22224 EK	120	215	58	630	765	8.5
BS2-2224-2CS	120	215	69	630	765	9.75
23224 CC/W33	120	215	76	695	930	12
23224 CCK/W33	120	215	76	695	930	11.5
22324 CC/W33	120	260	86	965	1120	23
22324 CCJA/W33VA405	120	260	86	965	1120	23
22324 CCK/W33	120	260	86	965	1120	22.5

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
22324 CCKJA/W33VA405	120	260	86	965	1120	22.5
23026 CC/W33	130	200	52	430	610	6
23026 CCK/W33	130	200	52	430	610	5.8
23026-2CS2/VT143	130	200	52	430	610	6
24026 CC/W33	130	200	69	540	815	8.05
24026 CCK30/W33	130	200	69	540	815	7.9
24026-2CS2/VT143	130	200	69	540	815	8.05
23126 CC/W33	130	210	64	560	780	8.8
23126 CCK/W33	130	210	64	560	780	8.5
24126 CC/W33	130	210	80	680	1000	11
24126 CCK30/W33	130	210	80	680	1000	11
24126-2CS2/VT143	130	210	80	680	1000	11
22226 E	130	230	64	735	930	11
22226 EK	130	230	64	735	930	10.7
23226 CC/W33	130	230	80	780	1060	14.5
23226 CCK/W33	130	230	80	780	1060	14
22326 CC/W33	130	280	93	1120	1320	29
22326 CCJA/W33VA405	130	280	93	1120	1320	29
22326 CCK/W33	130	280	93	1120	1320	28.5
22326 CCKJA/W33VA405	130	280	93	1120	1320	28.5
23028 CC/W33	140	210	53	465	680	6.55
23028 CCK/W33	140	210	53	465	680	6.35
24028 CC/W33	140	210	69	570	900	8.55
24028 CCK30/W33	140	210	69	570	900	8.4
24028-2CS2/VT143	140	210	69	570	900	8.55
23128 CC/W33	140	225	68	630	900	10.5
23128 CCK/W33	140	225	68	630	900	10
24128 CC/W33	140	225	85	765	1160	13.5
24128 CCK30/W33	140	225	85	765	1160	13.5
24128-2CS2/VT143	140	225	85	765	1160	13.5
22228 CC/W33	140	250	68	710	900	14
22228 CCK/W33	140	250	68	710	900	13.5
23228 CC/W33	140	250	88	915	1250	19
23228 CCK/W33	140	250	88	915	1250	18.5
23228-2CS5/VT143	140	250	88	915	1250	19.5
22328 CC/W33	140	300	102	1290	1560	36.5
22328 CCJA/W33VA405	140	300	102	1290	1560	36.5
22328 CCK/W33	140	300	102	1290	1560	36
22328 CCKJA/W33VA405	140	300	102	1290	1560	35.5
23030 CC/W33	150	225	56	510	750	7.95
23030 CCK/W33	150	225	56	510	750	7.7
24030 CC/W33	150	225	75	655	1040	10.5
24030 CCK30/W33	150	225	75	655	1040	10.5
24030-2CS2/VT143	150	225	75	655	1040	10.5

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
23130 CC/W33	150	250	80	830	1200	16
23130 CCK/W33	150	250	80	830	1200	15.5
24130 CC/W33	150	250	100	1020	1530	20
24130 CCK30/W33	150	250	100	1020	1530	19.5
24130-2CS2/VT143	150	250	100	1020	1530	19.5
22230 CC/W33	150	270	73	850	1080	18
22230 CCK/W33	150	270	73	850	1080	17.5
23230 CC/W33	150	270	96	1080	1460	24.5
23230 CCK/W33	150	270	96	1080	1460	24
22330 CC/W33	150	320	108	1460	1760	43.5
22330 CCJA/W33VA405	150	320	108	1460	1760	43.5
22330 CCK/W33	150	320	108	1460	1760	42.5
22330 CCKJA/W33VA405	150	320	108	1460	1760	42.5
23032 CC/W33	160	240	60	585	880	9.7
23032 CCK/W33	160	240	60	585	880	9.4
24032 CC/W33	160	240	80	750	1200	13
24032 CCK30/W33	160	240	80	750	1200	13
24032-2CS2/VT143	160	240	80	750	1200	13
23132 CC/W33	160	270	86	980	1370	20.5
23132 CCK/W33	160	270	86	980	1370	20
23132-2CS2/VT143	160	270	86	980	1400	26.5
24132 CC/W33	160	270	109	1180	1760	25
24132 CCK30/W33	160	270	109	1180	1760	24.5
22232 CC/W33	160	290	80	1000	1290	22.5
22232 CCK/W33	160	290	80	1000	1290	22
23232 CC/W33	160	290	104	1220	1660	31
23232 CCK/W33	160	290	104	1220	1660	30
22332 CC/W33	160	340	114	1600	1960	52
22332 CCJA/W33VA405	160	340	114	1600	1960	52
22332 CCK/W33	160	340	114	1600	1960	51
22332 CCKJA/W33VA405	160	340	114	1600	1960	51
23034 CC/W33	170	260	67	710	1060	13
23034 CCK/W33	170	260	67	710	1060	12.6
24034 CC/W33	170	260	90	930	1460	17.5
24034 CCK30/W33	170	260	90	930	1460	17
24034-2CS2/VT143	170	260	90	930	1460	17.5
23134 CC/W33	170	280	88	1040	1500	22
23134 CCK/W33	170	280	88	1040	1500	21.5
24134 CC/W33	170	280	109	1220	1860	27.5
24134 CCK30/W33	170	280	109	1220	1860	27
24134-2CS2/VT143	170	280	109	1220	1860	27
22234 CC/W33	170	310	86	1120	1460	28.5
22234 CCK/W33	170	310	86	1120	1460	28
23234 CC/W33	170	310	110	1400	1930	37.5

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
23234 CCK/W33	170	310	110	1400	1930	36.5
22334 CC/W33	170	360	120	1760	2160	61
22334 CCJA/W33VA405	170	360	120	1760	2160	61
22334 CCK/W33	170	360	120	1760	2160	59.5
22334 CCKJA/W33VA405	170	360	120	1760	2160	59.5
23936 CC/W33	180	250	52	431	830	7.9
23936 CCK/W33	180	250	52	431	830	7.65
23036 CC/W33	180	280	74	830	1250	17
23036 CCK/W33	180	280	74	830	1250	16.5
24036 CC/W33	180	280	100	1080	1730	23
24036 CCK30/W33	180	280	100	1080	1730	22.5
24036-2CS2/VT143	180	280	100	1080	1730	23
23136 CC/W33	180	300	96	1200	1760	28
23136 CCK/W33	180	300	96	1200	1760	27
24136 CC/W33	180	300	118	1400	2160	34.5
24136 CCK30/W33	180	300	118	1400	2160	34
22236 CC/W33	180	320	86	1180	1560	29.5
22236 CCK/W33	180	320	86	1180	1560	29
23236 CC/W33	180	320	112	1500	2120	39.5
23236 CCK/W33	180	320	112	1500	2120	38.5
22336 CC/W33	180	380	126	2000	2450	71.5
22336 CCJA/W33VA405	180	380	126	2000	2450	71.5
22336 CCK/W33	180	380	126	2000	2450	70
22336 CCKJA/W33VA405	180	380	126	2000	2450	70
23938 CC/W33	190	260	52	414	800	8.3
23938 CCK/W33	190	260	52	414	800	8.05
23038 CC/W33	190	290	75	865	1340	18
23038 CCK/W33	190	290	75	865	1340	17.5
24038 CC/W33	190	290	100	1120	1800	24.5
24038 CCK30/W33	190	290	100	1120	1800	24
23138 CC/W33	190	320	104	1370	2080	35
23138 CCK/W33	190	320	104	1370	2080	34
24138 CC/W33	190	320	128	1600	2500	43
24138 CCK30/W33	190	320	128	1600	2500	42.5
24138-2CS2/VT143	190	320	128	1600	2500	43
22238 CC/W33	190	340	92	1270	1700	36.5
22238 CCK/W33	190	340	92	1270	1700	35.5
23238 CC/W33	190	340	120	1660	2400	48
23238 CCK/W33	190	340	120	1660	2400	46.5
22338 CC/W33	190	400	132	2120	2650	82.5
22338 CCJA/W33VA405	190	400	132	2120	2650	82.5
22338 CCK/W33	190	400	132	2120	2650	81
22338 CCKJA/W33VA405	190	400	132	2120	2650	81
23940 CC/W33	200	280	60	546	1040	11.5

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
23940 CCK/W33	200	280	60	546	1040	11
23040 CC/W33	200	310	82	1000	1530	23.3
23040 CCK/W33	200	310	82	1000	1530	22.6
24040 CC/W33	200	310	109	1290	2120	31
24040 CCK30/W33	200	310	109	1290	2120	30.5
23140 CC/W33	200	340	112	1600	2360	43
23140 CCK/W33	200	340	112	1600	2360	41.5
24140 CC/W33	200	340	140	1800	2800	53.5
24140 CCK30/W33	200	340	140	1800	2800	52.5
24140-2CS	200	340	140	1800	2800	53.5
22240 CC/W33	200	360	98	1460	1930	43.5
22240 CCK/W33	200	360	98	1460	1930	42.5
23240 CC/W33	200	360	128	1860	2700	58
23240 CCK/W33	200	360	128	1860	2700	56.5
23240-2CS2/VT143	200	360	128	1860	2700	58
22340 CC/W33	200	420	138	2320	2900	95
22340 CCJA/W33VA405	200	420	138	2320	2900	95
22340 CCK/W33	200	420	138	2320	2900	93
22340 CCKJA/W33VA405	200	420	138	2320	2900	93
23944 CC/W33	220	300	60	546	1080	12.5
23944 CCK/W33	220	300	60	546	1080	12
23944-2CS	220	300	60	546	1080	12.5
23044 CC/W33	220	340	90	1220	1860	30.5
23044 CCK/W33	220	340	90	1220	1860	29.5
24044 CC/W33	220	340	118	1560	2600	40
24044 CCK30/W33	220	340	118	1560	2600	39.5
23144 CC/W33	220	370	120	1800	2750	53.5
23144 CCK/W33	220	370	120	1800	2750	52
24144 CC/W33	220	370	150	2120	3350	67
24144 CCK30/W33	220	370	150	2120	3350	66
22244 CC/W33	220	400	108	1760	2360	60.5
22244 CCK/W33	220	400	108	1760	2360	59
23244 CC/W33	220	400	144	2360	3450	81.5
23244 CCK/W33	220	400	144	2360	3450	79
22344 CC/W33	220	460	145	2700	3450	120
22344 CCJA/W33VA405	220	460	145	2700	3450	120
22344 CCK/W33	220	460	145	2700	3450	115
22344 CCKJA/W33VA405	220	460	145	2700	3450	115
23948 CC/W33	240	320	60	564	1160	13.5
23948 CCK/W33	240	320	60	564	1160	13
23048 CC/W33	240	360	92	1290	2080	33.5
23048 CCK/W33	240	360	92	1290	2080	32.5
24048 CC/W33	240	360	118	1600	2700	43
24048 CCK30/W33	240	360	118	1600	2700	42.5

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
23148 CC/W33	240	400	128	2080	3200	66.5
23148 CCK/W33	240	400	128	2080	3200	64.5
24148 CC/W33	240	400	160	2400	3900	83
24148 CCK30/W33	240	400	160	2400	3900	81.5
22248 CC/W33	240	440	120	2200	3000	83
22248 CCK/W33	240	440	120	2200	3000	81
23248 CC/W33	240	440	160	2900	4300	110
23248 CCK/W33	240	440	160	2900	4300	105
22348 CC/W33	240	500	155	3100	4000	155
22348 CCJA/W33VA405	240	500	155	3100	4000	155
22348 CCK/W33	240	500	155	3100	4000	150
22348 CCKJA/W33VA405	240	500	155	3100	4000	150
23952 CC/W33	260	360	75	880	1800	23.5
23952 CCK/W33	260	360	75	880	1800	22.5
23052 CC/W33	260	400	104	1600	2550	48.5
23052 CCK/W33	260	400	104	1600	2550	47
24052 CC/W33	260	400	140	2040	3450	65.5
24052 CCK30/W33	260	400	140	2040	3450	64.5
23152 CC/W33	260	440	144	2550	3900	90.5
23152 CCK/W33	260	440	144	2550	3900	87.5
24152 CC/W33	260	440	180	3000	4800	110
24152 CCK30/W33	260	440	180	3000	4800	110
22252 CC/W33	260	480	130	2650	3550	110
22252 CCK/W33	260	480	130	2650	3550	108
23252 CC/W33	260	480	174	3250	4750	140
23252 CCK/W33	260	480	174	3250	4750	135
22352 CC/W33	260	540	165	3550	4550	190
22352 CCK/W33	260	540	165	3550	4550	185
23956 CC/W33	280	380	75	845	1760	25
23956 CCK/W33	280	380	75	845	1760	24
23056 CC/W33	280	420	106	1730	2850	52.5
23056 CCK/W33	280	420	106	1730	2850	51
24056 CC/W33	280	420	140	2160	3800	69.5
24056 CCK30/W33	280	420	140	2160	3800	68.5
23156 CC/W33	280	460	146	2650	4250	97
23156 CCK/W33	280	460	146	2650	4250	94
24156 CC/W33	280	460	180	3100	5100	120
24156 CCK30/W33	280	460	180	3100	5100	120
22256 CC/W33	280	500	130	2700	3750	115
22256 CCK/W33	280	500	130	2700	3750	115
23256 CC/W33	280	500	176	3250	4900	150
23256 CCK/W33	280	500	176	3250	4900	145
22356 CC/W33	280	580	175	4000	5200	235
22356 CCK/W33	280	580	175	4000	5200	230

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
23960 CC/W33	300	420	90	1200	2500	39.5
23960 CCK/W33	300	420	90	1200	2500	38
23060 CC/W33	300	460	118	2120	3450	71.5
23060 CCK/W33	300	460	118	2120	3450	69.5
24060 CC/W33	300	460	160	2700	4750	97
24060 CCK30/W33	300	460	160	2700	4750	95.5
23160 CC/W33	300	500	160	3200	5100	125
23160 CCK/W33	300	500	160	3200	5100	120
24160 CC/W33	300	500	200	3750	6300	160
24160 CCK30/W33	300	500	200	3750	6300	160
22260 CC/W33	300	540	140	3150	4250	145
22260 CCK/W33	300	540	140	3150	4250	140
23260 CC/W33	300	540	192	3900	5850	190
23260 CCK/W33	300	540	192	3900	5850	185
23964 CC/W33	320	440	90	1430	2700	42
23964 CCK/W33	320	440	90	1430	2700	40.5
23064 CC/W33	320	480	121	2240	3800	78
23064 CCK/W33	320	480	121	2240	3800	75.5
24064 CC/W33	320	480	160	2850	5100	100
24064 CCK30/W33	320	480	160	2850	5100	98.5
23164 CC/W33	320	540	176	3750	6000	165
23164 CCK/W33	320	540	176	3750	6000	160
24164 CC/W33	320	540	218	4250	7100	210
24164 CCK30/W33	320	540	218	4250	7100	205
22264 CC/W33	320	580	150	3600	4900	175
22264 CCK/W33	320	580	150	3600	4900	170
23264 CC/W33	320	580	208	4400	6700	240
23264 CCK/W33	320	580	208	4400	6700	235
23968 CC/W33	340	460	90	1460	2800	45.5
23968 CCK/W33	340	460	90	1460	2800	43
23068 CC/W33	340	520	133	2700	4550	105
23068 CCK/W33	340	520	133	2700	4550	100
24068 CC/W33	340	520	180	3450	6200	140
24068 CCK30/W33	340	520	180	3450	6200	140
23168 CC/W33	340	580	190	4250	6800	210
23168 CCK/W33	340	580	190	4250	6800	205
24168 ECCJ/W33	340	580	243	5300	8650	280
24168 ECCK30J/W33	340	580	243	5300	8650	275
23268 CA/W33	340	620	224	5100	7800	295
23268 CAK/W33	340	620	224	5100	7800	285
23972 CC/W33	360	480	90	1400	2750	46
23972 CCK/W33	360	480	90	1400	2750	45
23072 CC/W33	360	540	134	2750	4800	110
23072 CCK/W33	360	540	134	2750	4800	105

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
24072 CC/W33	360	540	180	3550	6550	145
24072 CCK30/W33	360	540	180	3550	6550	145
23172 CC/W33	360	600	192	4300	6950	220
23172 CCK/W33	360	600	192	4300	6950	215
24172 ECCJ/W33	360	600	243	5600	9300	280
24172 ECCK30J/W33	360	600	243	5600	9300	275
22272 CA/W33	360	650	170	4300	6200	255
22272 CAK/W33	360	650	170	4300	6200	250
23272 CA/W33	360	650	232	5400	8300	335
23272 CAK/W33	360	650	232	5400	8300	325
23976 CC/W33	380	520	106	1960	3800	69
23976 CCK/W33	380	520	106	1960	3800	64.5
23076 CC/W33	380	560	135	2900	5000	115
23076 CCK/W33	380	560	135	2900	5000	110
24076 CC/W33	380	560	180	3600	6800	150
24076 CCK30/W33	380	560	180	3600	6800	145
23176 CA/W33	380	620	194	4400	7100	230
23176 CAK/W33	380	620	194	4400	7100	225
24176 ECA/W33	380	620	243	5700	9800	300
24176 ECAK30/W33	380	620	243	5700	9800	295
23276 CA/W33	380	680	240	5850	9150	375
23276 CAK/W33	380	680	240	5850	9150	365
23980 CC/W33	400	540	106	2000	3900	71
23980 CCK/W33	400	540	106	2000	3900	68.5
23080 CC/W33	400	600	148	3250	5700	150
23080 CCK/W33	400	600	148	3250	5700	145
24080 ECCJ/W33	400	600	200	4300	8000	205
24080 ECCK30J/W33	400	600	200	4300	8000	200
23180 CA/W33	400	650	200	4650	7650	265
23180 CAK/W33	400	650	200	4650	7650	255
24180 ECA/W33	400	650	250	6200	10600	340
24180 ECAK30/W33	400	650	250	6200	10600	335
23280 CA/W33	400	720	256	6550	10400	450
23280 CAK/W33	400	720	256	6550	10400	435
22380 CA/W33	400	820	243	7500	10400	650
22380 CAK/W33	400	820	243	7500	10400	640
23984 CC/W33	420	560	106	2040	4150	74.5
23984 CCK/W33	420	560	106	2040	4150	72
23084 CA/W33	420	620	150	3400	6000	155
23084 CAK/W33	420	620	150	3400	6000	150
24084 ECA/W33	420	620	200	4400	8300	210
24084 ECAK30/W33	420	620	200	4400	8300	205
23184 CJ/W33	420	700	224	5600	9300	350
23184 CKJ/W33	420	700	224	5600	9300	340

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
24184 ECA/W33	420	700	280	7350	12600	445
24184 ECAK30/W33	420	700	280	7350	12600	440
23284 CA/W33	420	760	272	7350	11600	535
23284 CAK/W33	420	760	272	7350	11600	520
23988 CC/W33	440	600	118	2450	4900	99.5
23988 CCK/W33	440	600	118	2450	4900	96.5
23088 CA/W33	440	650	157	3650	6550	180
23088 CAK/W33	440	650	157	3650	6550	175
24088 ECA/W33	440	650	212	4800	9150	245
24088 ECAK30/W33	440	650	212	4800	9150	240
23188 CA/W33	440	720	226	6000	10000	360
23188 CAK/W33	440	720	226	6000	10000	350
24188 ECA/W33	440	720	280	7500	13200	460
24188 ECAK30/W33	440	720	280	7500	13200	455
23288 CA/W33	440	790	280	7800	12500	590
23288 CAK/W33	440	790	280	7800	12500	570
24892 CAK30MA/W20	460	580	118	1790	4900	74
24892 CAMA/W20	460	580	118	1790	4900	75.5
23992 CA/W33	460	620	118	2500	5000	105
23992 CAK/W33	460	620	118	2500	5000	100
23092 CA/W33	460	680	163	3900	6950	205
23092 CAK/W33	460	680	163	3900	6950	200
24092 ECA/W33	460	680	218	5200	10000	275
24092 ECAK30/W33	460	680	218	5200	10000	270
23192 CA/W33	460	760	240	6400	10800	440
23192 CAK/W33	460	760	240	6400	10800	425
24192 ECA/W33	460	760	300	8300	14600	560
24192 ECAK30/W33	460	760	300	8300	14600	550
23292 CA/W33	460	830	296	8500	13700	695
23292 CAK/W33	460	830	296	8500	13700	675
23996 CA/W33	480	650	128	2900	5700	125
23996 CAK/W33	480	650	128	2900	5700	120
23096 CA/W33	480	700	165	3900	6800	215
23096 CAK/W33	480	700	165	3900	6800	210
24096 ECA/W33	480	700	218	5300	10400	285
24096 ECAK30/W33	480	700	218	5300	10400	280
23196 CA/W33	480	790	248	6950	12000	485
23196 CAK/W33	480	790	248	6950	12000	470
24196 ECA/W33	480	790	308	9000	15600	605
24196 ECAK30/W33	480	790	308	9000	15600	595
23296 CA/W33	480	870	310	9300	15000	800
23296 CAK/W33	480	870	310	9300	15000	775
239/500 CA/W33	500	670	128	2900	6000	130
239/500 CAK/W33	500	670	128	2900	6000	125

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
230/500 CA/W33	500	720	167	4150	7800	225
230/500 CAK/W33	500	720	167	4150	7800	220
240/500 ECA/W33	500	720	218	5500	11000	295
240/500 ECAK30/W33	500	720	218	5500	11000	290
231/500 CA/W33	500	830	264	7650	12900	580
231/500 CAK/W33	500	830	264	7650	12900	560
241/500 ECA/W33	500	830	325	9800	17000	700
241/500 ECAK30/W33	500	830	325	9800	17000	690
232/500 CA/W33	500	920	336	10600	17300	985
232/500 CAK/W33	500	920	336	10600	17300	955
248/530 CAK30MA/W20	530	650	118	1840	5300	84.5
248/530 CAMA/W20	530	650	118	1840	5300	86
239/530 CA/W33	530	710	136	3200	6700	155
239/530 CAK/W33	530	710	136	3200	6700	150
230/530 CA/W33	530	780	185	5100	9300	310
230/530 CAK/W33	530	780	185	5100	9300	300
240/530 ECA/W33	530	780	250	6700	13200	410
240/530 ECAK30/W33	530	780	250	6700	13200	405
231/530 CA/W33	530	870	272	8150	14000	645
231/530 CAK/W33	530	870	272	8150	14000	625
241/530 ECA/W33	530	870	335	10600	19000	830
241/530 ECAK30/W33	530	870	335	10600	19000	820
232/530 CA/W33	530	980	355	11100	20400	1200
232/530 CAK/W33	530	980	355	11100	20400	1165
239/560 CA/W33	560	750	140	3450	7200	175
239/560 CAK/W33	560	750	140	3450	7200	170
230/560 CA/W33	560	820	195	5600	10200	355
230/560 CAK/W33	560	820	195	5600	10200	345
240/560 ECA/W33	560	820	258	7350	14600	465
240/560 ECAK30/W33	560	820	258	7350	14600	455
231/560 CA/W33	560	920	280	9150	16000	740
231/560 CAK/W33	560	920	280	9150	16000	715
241/560 ECJ/W33	560	920	355	12000	21600	985
241/560 ECK30J/W33	560	920	355	12000	21600	975
232/560 CA/W33	560	1030	365	11500	22000	1350
232/560 CAK/W33	560	1030	365	11500	22000	1310
239/600 CA/W33	600	800	150	3900	8300	220
239/600 CAK/W33	600	800	150	3900	8300	215
230/600 CA/W33	600	870	200	6000	11400	405
230/600 CAK/W33	600	870	200	6000	11400	395
240/600 ECAF/W33	600	870	272	8150	17000	520
240/600 ECAK30F/W33	600	870	272	8150	17000	510
231/600 CA/W33	600	980	300	10200	18000	895
231/600 CAK/W33	600	980	300	10200	18000	865

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
241/600 ECA/W33	600	980	375	11500	23600	1200
241/600 ECAK30/W33	600	980	375	11500	23600	1185
232/600 CA/W33	600	1090	388	13100	25500	1600
232/600 CAK/W33	600	1090	388	13100	25500	1555
238/630 CAKMA/W20	630	780	112	2190	6100	115
238/630 CAMA/W20	630	780	112	2190	6100	120
239/630 CA/W33	630	850	165	4650	9800	280
239/630 CAK/W33	630	850	165	4650	9800	270
230/630 CA/W33	630	920	212	6700	12500	485
230/630 CAK/W33	630	920	212	6700	12500	470
240/630 ECJ/W33	630	920	290	8800	18000	645
240/630 ECK30J/W33	630	920	290	8800	18000	635
231/630 CA/W33	630	1030	315	10500	20800	1050
231/630 CAK/W33	630	1030	315	10500	20800	1015
241/630 ECA/W33	630	1030	400	12700	27000	1400
241/630 ECAK30/W33	630	1030	400	12700	27000	1380
238/670 CAKMA/W20	670	820	112	2250	6400	125
238/670 CAMA/W20	670	820	112	2250	6400	130
248/670 CAMA/W20	670	820	150	3110	9500	172
239/670 CA/W33	670	900	170	5000	10800	315
239/670 CAK/W33	670	900	170	5000	10800	305
230/670 CA/W33	670	980	230	7650	14600	600
230/670 CAK/W33	670	980	230	7650	14600	580
240/670 ECA/W33	670	980	308	10000	20400	790
240/670 ECAK30/W33	670	980	308	10000	20400	775
231/670 CA/W33	670	1090	336	10900	22400	1250
231/670 CAK/W33	670	1090	336	10900	22400	1210
241/670 ECA/W33	670	1090	412	13800	29000	1600
241/670 ECAK30/W33	670	1090	412	13800	29000	1575
232/670 CA/W33	670	1220	438	15400	30500	2270
232/670 CAK/W33	670	1220	438	15400	30500	2205
238/710 CAMA/W20	710	870	118	2580	7500	153
239/710 CA/W33	710	950	180	5600	12000	365
239/710 CAK/W33	710	950	180	5600	12000	355
249/710 CA/W33	710	950	243	6800	15600	495
249/710 CAK30/W33	710	950	243	6800	15600	485
230/710 CA/W33	710	1030	236	8300	16300	670
230/710 CAK/W33	710	1030	236	8300	16300	650
240/710 ECA/W33	710	1030	315	10400	22000	895
240/710 ECAK30/W33	710	1030	315	10400	22000	880
231/710 CA/W33	710	1150	345	12200	26000	1450
231/710 CAK/W33	710	1150	345	12200	26000	1405
241/710 ECA/W33	710	1150	438	15200	32500	1900
241/710 ECAK30/W33	710	1150	438	15200	32500	1870

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
232/710 CA/W33	710	1280	450	17600	34500	2610
232/710 CAK/W33	710	1280	450	17600	34500	2535
238/750 CAKMA/W20	750	920	128	2930	8500	175
238/750 CAMA/W20	750	920	128	2930	8500	180
239/750 CA/W33	750	1000	185	6000	13200	420
239/750 CAK/W33	750	1000	185	6000	13200	405
249/750 CA/W33	750	1000	250	7650	18000	560
249/750 CAK30/W33	750	1000	250	7650	18000	550
230/750 CA/W33	750	1090	250	9650	18600	795
230/750 CAK/W33	750	1090	250	9650	18600	770
240/750 ECA/W33	750	1090	335	10100	25000	1065
240/750 ECA/W33	750	1090	335	10100	25000	1065
240/750 ECAK30/W33	750	1090	335	10100	25000	1050
240/750 ECAK30/W33	750	1090	335	10100	25000	1050
231/750 CA/W33	750	1220	365	13800	29000	1700
231/750 CAK/W33	750	1220	365	13800	29000	1650
241/750 ECA/W33	750	1220	475	17300	37500	2100
241/750 ECAK30/W33	750	1220	475	17300	37500	2065
232/750 CAF/W33	750	1360	475	18700	36500	3050
232/750 CAF/W33	750	1360	475	18700	36500	2960
248/800 CAK30MA/W20	800	980	180	4140	12900	295
248/800 CAMA/W20	800	980	180	4140	12900	300
239/800 CA/W33	800	1060	195	6400	14300	470
239/800 CAK/W33	800	1060	195	6400	14300	455
249/800 CA/W33	800	1060	258	8000	19300	640
249/800 CAK30/W33	800	1060	258	8000	19300	630
230/800 CA/W33	800	1150	258	10000	20000	895
230/800 CAK/W33	800	1150	258	10000	20000	865
240/800 ECA/W33	800	1150	345	12500	27500	1200
240/800 ECAK30/W33	800	1150	345	12500	27500	1180
231/800 CA/W33	800	1280	375	14800	31500	1920
231/800 CAK/W33	800	1280	375	14800	31500	1860
241/800 ECA/W33	800	1280	475	18400	40500	2300
241/800 ECAK30/W33	800	1280	475	18400	40500	2265
238/850 CAKMA/W20	850	1030	136	3340	10000	230
238/850 CAMA/W20	850	1030	136	3340	10000	240
239/850 CA/W33	850	1120	200	6950	15600	560
239/850 CAK/W33	850	1120	200	6950	15600	540
249/850 CA/W33	850	1120	272	9300	22800	740
249/850 CAK30/W33	850	1120	272	9300	22800	725
230/850 CA/W33	850	1220	272	9370	21600	1050
230/850 CAK/W33	850	1220	272	9370	21600	1015
240/850 ECA/W33	850	1220	365	12700	31500	1410
240/850 ECAK30/W33	850	1220	365	12700	31500	1385

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
231/850 CA/W33	850	1360	400	16100	34500	2200
231/850 CAK/W33	850	1360	400	16100	34500	2130
241/850 ECAF/W33	850	1360	500	20200	45000	2710
241/850 ECAK30F/W33	850	1360	500	20200	45000	2665
248/900 CAK30MA/W20	900	1090	190	4660	15300	365
248/900 CAMA/W20	900	1090	190	4660	15300	370
239/900 CA/W33	900	1180	206	7500	17000	605
239/900 CAK/W33	900	1180	206	7500	17000	585
230/900 CA/W33	900	1280	280	10100	23200	1200
230/900 CAK/W33	900	1280	280	10100	23200	1165
240/900 ECA/W33	900	1280	375	13600	34500	1570
240/900 ECAK30/W33	900	1280	375	13600	34500	1545
241/900 ECAF/W33	900	1420	515	21400	49000	3350
241/900 ECAK30F/W33	900	1420	515	21400	49000	3300
239/950 CA/W33	950	1250	224	7250	19600	755
239/950 CAK/W33	950	1250	224	7250	19600	730
249/950 CA/W33	950	1250	300	9200	26000	1015
249/950 CAK30/W33	950	1250	300	9200	26000	995
230/950 CA/W33	950	1360	300	12000	28500	1450
230/950 CAK/W33	950	1360	300	12000	28500	1405
240/950 CAF/W33	950	1360	412	14800	39000	1990
240/950 CAK30F/W33	950	1360	412	14800	39000	1955
241/950 ECAF/W33	950	1500	545	23900	55000	3535
241/950 ECAK30F/W33	950	1500	545	23900	55000	3475
238/1000 CAKMA/W20	1000	1220	165	4660	14300	395
238/1000 CAMA/W20	1000	1220	165	4660	14300	410
249/1000 CA/W33	1000	1320	315	10400	29000	1200
249/1000 CAK30/W33	1000	1320	315	10400	29000	1180
230/1000 CAF/W33	1000	1420	308	12700	30500	1600
230/1000 CAKF/W33	1000	1420	308	12700	30500	1550
240/1000 CAF/W33	1000	1420	412	15400	40500	2140
240/1000 CAK30F/W33	1000	1420	412	15400	40500	2105
231/1000 CAF/W33	1000	1580	462	21400	48000	3500
231/1000 CAKF/W33	1000	1580	462	21400	48000	3390
241/1000 ECAF/W33	1000	1580	580	26700	62000	4300
241/1000 ECAK30F/W33	1000	1580	580	26700	62000	4230
238/1060 CAKMA/W20	1060	1280	165	4770	15000	420
238/1060 CAMA/W20	1060	1280	165	4770	15000	435
248/1060 CAK30MA/W20	1060	1280	218	6100	20000	560
248/1060 CAMA/W20	1060	1280	218	6100	20000	570
239/1060 CAF/W33	1060	1400	250	9550	26000	1100
239/1060 CAKF/W33	1060	1400	250	9550	26000	1065
249/1060 CAF/W33	1060	1400	335	11500	32500	1400
249/1060 CAK30F/W33	1060	1400	335	11500	32500	1375

Bearings NO.	d	D	B	Cr	C0r	Weight
	mm	mm	mm	kN	kN	kg
230/1060 CAF/W33	1060	1500	325	13800	34000	2250
230/1060 CAKF/W33	1060	1500	325	13800	34000	2190
240/1060 CAF/W33	1060	1500	438	17300	45500	2515
240/1060 CAK30F/W33	1060	1500	438	17300	45500	2475
248/1120 CAFA/W20	1120	1360	243	7250	24000	735
248/1120 CAK30FA/W20	1120	1360	243	7250	24000	720
249/1120 CAF/W33	1120	1460	335	11700	34500	1500
249/1120 CAK30F/W33	1120	1460	335	11700	34500	1475
240/1120 CAF/W33	1120	1580	462	18700	50000	2925
240/1120 CAK30F/W33	1120	1580	462	18700	50000	2825
238/1180 CAFA/W20	1180	1420	180	5870	18600	575
238/1180 CAKFA/W20	1180	1420	180	5870	18600	555
248/1180 CAFA/W20	1180	1420	243	7710	27000	770
248/1180 CAK30FA/W20	1180	1420	243	7710	27000	755
239/1180 CAF/W33	1180	1540	272	11100	31000	1400
239/1180 CAKF/W33	1180	1540	272	11100	31000	1355
249/1180 CAF/W33	1180	1540	355	13600	40500	1800
249/1180 CAK30F/W33	1180	1540	355	13600	40500	1770
230/1250 CAF/W33	1250	1750	375	17900	45000	2840
230/1250 CAKF/W33	1250	1750	375	17900	45000	2750
248/1320 CAFA/W20	1320	1600	280	9780	33500	1160
248/1320 CAK30FA/W20	1320	1600	280	9780	33500	1140
249/1320 CAF/W33	1320	1720	400	16100	49000	2500
249/1320 CAK30F/W33	1320	1720	400	16100	49000	2455
248/1500 CAFA/W20	1500	1820	315	12700	45000	1710
248/1500 CAK30FA/W20	1500	1820	315	12700	45000	1680
248/1800 CAFA/W20	1800	2180	375	17600	63000	2900
248/1800 CAK30FA/W20	1800	2180	375	17600	63000	2850
